Certified Laboratories
A Certified Group Company

Certificate of Analysis

REPORT #:2802546
Sample Number: 6870731
PROJECT ID: EDM16026-2601-024
REPORT DATE: 2026-02-23
DATE SAMPLE RECEIVED: 2026-01-28

MAN GREENS (2601027); Lot #: R266-01, PO #: 2601027

Test	Specification	Test Result	Method	Result Date	Testing Location
MICRO					
TOTAL PLATE COUNT	< 10000 CFU/g	90 CFU/g	SOP_6_503_A	2026-02-04	EDM
YEAST & MOLD	< 100 CFU/g	<10 CFU/g	SOP_6_503_A	2026-02-04	EDM
S. AUREUS	Equal to Absent/1g	Absent/1g	SOP_6_503_A	2026-02-04	EDM
SALMONELLA	Equal to Absent/10g	Absent/10g	SOP_6_503_A	2026-02-04	EDM
E. COLI	Equal to Absent/10g	Absent/10g	SOP_6_503_A	2026-02-04	EDM
Serving size (client provided)			SOP4_28		
SERVING SIZE	N/A	15,770 mg		2026-02-03	EDM
Forskolin			SOP6_271		
FORSKOLIN	20 ≤ Result ≤ 30 mg/serving	21.1 mg/serving		2026-02-19	EDM
Heavy Metals			SOP6_358		
ARSENIC	< 0.14 µg/kg bw/day	0.0446 µg/kg bw/day		2026-02-02	EDM
CADMIUM	< 0.09 µg/kg bw/day	<0.020 µg/kg bw/day		2026-02-02	EDM
LEAD	< 0.14 µg/kg bw/day	<0.020 µg/kg bw/day		2026-02-02	EDM
MERCURY	< 0.029 µg/kg bw/day	<0.020 µg/kg bw/day		2026-02-02	EDM

Raw data are archived by Labs-Mart Inc.. The sample(s) were provided by the customer. Results listed on this report apply to the samples as received and tested at specified laboratory locations.
Labs-Mart Inc. warrants that all sample(s) were tested in accordance with its Test Procedures and in accordance with its ISO17025 accreditation.
Refer to the following locations for laboratory specific Scope of accreditation:
https://directory.cala.ca/# 1003882
Labs-Mart Inc. assumes no liability for the use of the results by any party.

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc..

1938 94 Street NW
Edmonton, Alberta, T6N 1J3

Certified Laboratories
A Certified Group Company

Certificate of Analysis

REPORT #:2802546
Sample Number: 6870731
PROJECT ID: EDM16026-2601-024
REPORT DATE: 2026-02-23
DATE SAMPLE RECEIVED: 2026-01-28

MAN GREENS (2601027); Lot #: R266-01, PO #: 2601027

References

SOP 6_503A Modified from USP <2021>/<2022> and validated on 2018-12-21
SOP4_28: Sample preparation
SOP6_271: HPLC-UV
SOP6_358: ICP-MS based on USP <232>/<233>, modified from EP 2.4.27, validated

Testing Locations:

EDM: Labs-Mart Edmonton

Prepared by _____ Julie Harrison,Account Manager

Approved by _____ Joanna Affolter, Laboratory Supervisor/Alternate HOL

Date 2026-02-23

Raw data are archived by Labs-Mart Inc.. The sample(s) were provided by the customer. Results listed on this report apply to the samples as received and tested at specified laboratory locations.
Labs-Mart Inc. warrants that all sample(s) were tested in accordance with its Test Procedures and in accordance with its ISO17025 accreditation.
Refer to the following locations for laboratory specific Scope of accreditation:
https://directory.cala.ca/# 1003882
Labs-Mart Inc. assumes no liability for the use of the results by any party.

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc..

1938 94 Street NW
Edmonton, Alberta, T6N 1J3